



ON-SITE DRAWING SPECIFICATIONS

1. Submit two (2) black ink on-site drawings of the development to the City of Mountain View Building Inspection Division, 500 Castro Street. The drawings shall be on a single sheet of 8-1/2" x 11" standard white card stock. Drawings shall be as large as the page dimensions permit, with a minimum unlined border of 1/2" on all sides. **The drawings shall show:**

- * Streets, freeways, railroad tracks, waterways, and right-of-ways bordering the property.
- * Driveways, unpaved access roadways, access roads with restricted height or weight limitations.
- * Locked or limited access areas; restricted hours and guarded entryways.
- * Attic or basement access.
- * Interior / exterior stairways and halls.
- * Number of levels above and below grade.
- * Office/apartment numbers. (These numbers shall be circled).
- * Cluster complexes with duplicate addresses shall designate the building letter, suite or number where applicable.
- * Location of garages/carports.
- * Swimming pools, spas, saunas, laundry rooms, pool equipment areas, water heater/boiler rooms, enclosed refuse dumpsters, elevator equipment rooms, and fencing above 6 feet.
- * Locations of all gas, electrical and water shutoffs.
- * A minimum of two (2) dimensions indicating the size of the property.
- * Fire Department connections for automatic fire sprinkler systems and on-site hydrants.
- * Location of control valves, post-indicator valves and the size and location of sprinkler risers.

- * Location of fire alarm manual pull stations and master fire alarm control panel.
 - * Location of the Fire Department key box and key switches.
 - * Reference North: The drawing should be oriented so that North will be at the top of the sheet. Include a North reference arrow at the top of the page.
2. Any other information not previously mentioned, but pertinent to the development, should be included. This may include: unique topographical features, name of property owner, address and phone number for the property and the name of a contact person.
 3. Please refer to the attachment for the appropriate on-site drawing symbols.

MOUNTAIN VIEW FIRE DEPARTMENT STANDARD SYMBOLS FOR ON-SITE DRAWINGS



MAIN ANNUNCIATOR PANEL



AUTOMATIC SPRINKLER SYSTEM



NON-SPRINKLER BUILDING



MAIN FIRE ALARM PANEL



FDC FIRE DEPARTMENT CONNECTION (2 LINES)



FDC FIRE DEPARTMENT CONNECTION (4 LINES)



ELECTRICAL MAIN SHUT OFF VALVE



GAS MAIN SHUT OFF VALVE



WATER MAIN SHUT OFF VALVE



EMERGENCY GAS PUMP SHUT OFF



SPRINKLER RISER WITH SIZE



KNOX BOX (LOCK BOX-KEY BOX/KEY SWITCH)



FIRE HOSE VALVE 1-1/2"



FIRE HOSE VALVE 2-1/2"



HYDRANT



YARD HYDRANT (WHARF HYDRANT - TWO 2-1/2" OUTLETS)



POST INDICATOR VALVE